



GRANT OF EQUIPMENT AUTHORIZATION



Certification Issued Under the Authority of the Federal Communications Commission

By:

Bay Area Compliance Laboratory Corp. 1274 Anvilwood Avenue Sunnyvale, CA 94089

Date of Grant: 11/28/2012

Application Dated: 11/28/2012

SHENZHEN COVALUE COMMUNICATIONS CO., LTD. 2/F., Bldg. 24, XiLi Industrial Park, No.119 Xinguang Rd, Xili, Nanshan Shenzhen, 518055 China

Attention: Chengtao Shu , Engineer

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: Y4GCU500-2 Name of Grantee: SHENZHEN COVALUE COMMUNICATIONS CO., LTD. Equipment Class: Licensed Non-Broadcast Transmitter Held to Face Notes: Two Way Radio

Table with 6 columns: Grant Notes, FCC Rule Parts, Frequency Range (MHZ), Output Watts, Frequency Tolerance, Emission Designator. Rows include BC EF and BC EF with corresponding values for frequency ranges and power.

Output power listed is conducted; measured ERP is 4.0 Watts. This transmitter may operate with the antennas in push-to-talk held-near-face and body-worn configurations. This device must be restricted to work-related operations only in an Occupational/Controlled RF exposure environment and must operate with a duty factor not exceeding 50%. RF exposure compliance is limited to the specific belt-clip and accessory configurations as documented in this filing and the separation distance between user and the device or its antenna shall be at least 2.5 cm. All qualified end-users of this device must have the knowledge to control their exposure conditions and/or duration to comply with Occupational/Controlled Exposure limit and requirements. A label, as described in this filing, must be displayed on the device to direct users to specific training information for meeting Occupational Exposure Requirements. The highest reported SAR values for head, body-worn accessory, are 2.40 W/kg, 3.44 W/kg, respectively when operating at 50% duty cycle.

BC: The output power is continuously variable from the value listed in this entry to 5%-10% of the value listed.

EF: This device may contain functions that are not operational in U.S Territories except as noted in the filing. This grant has extended frequencies as noted in the filing and Section 2.927(b) applies to this authorization.