Summary of Loading the DMR Program

1. Transfer the M17PLUS_HOST_V9.00.05_20241029.bin to the radio using the Factory Tool_COMMON program.

Below is a picture of the radio buttons.



Loading the DMR Program

You need the following programs and hardware:

CS7000 M17 radio

Programming cable

Factory Tool_COMMON_V5.09.01_setup.exe program

M17PLUS_HOST_V9.00.05_20241029.bin

Note: The above program was for the initial build of the project. You might need to install a later version. The technique is identical except for the name of the program.

1. If you have not already done it, install the Factory Tool_COMMON program on your PC. If done properly you should have the following shortcut on your PC.



2. Press the PTT and Orange TK button at the same time and turn on the power. You should get the screen as shown below and the LED should blink Orange, Red, Green.



3. Start the Factory Tool_COMMON program and you should get the following:

A Factory Tool_COMMON_V5.09.01	X
Radio Type Portable	•
Model Series DR7000_HRC6000_SKY7231	0
Bootloader (*. boot)	
Firmware(*.bin)	
RCDB (*. rdb, *. rdbx)	
Font Library (*. pack)	
Fixed Voice(*. fv)	
Tuner File (*. tdb)	
	Vpgrade

Depending on what you did before, some of the boxes might be checked and some of the file locations might be set.

 Set the Radio Type to Portable, Model Series to DR7800S_HRC6000_SKY72310_H7 Firmware checkbox to checked

A Factory Tool_CON	1MON_V5.09.01	
Radio Type 🗜	rtable	•
Model Series	7800S_HRC6000_SKY72310_11_H7	•
-Bootloader (*. bo	ot)	
-Firmware (*. bin)		
RCDB (*. rdb, *. rd	(же	
Font Library(*.	pack, *. mpack)	
Fixed Voice(*.f	v)	
Tuner File (*. td)	
Language Packag	e (*.lang)	
Welcome Image(*	bmp)Maximum support 160 * 128 pixel size	
Picture Resourc	e(*.pic)	
		Upgrade

5. Press the file locator button the right of Firmware (*.bin) and you get the following:

irmware (*. 1	oin)	
船 Open	- 100	×
Look in: Name	M17 PLUS Firmware	③ >
_ M17	PLUS_HOST_V9.00.05_20241029.bin	10/29/2024 1:35 AM BI
File name:		Open
Files of typ	e: BIN File(*.bin)	Cancel

6. Highlight the latest firmware version and press the Open button and you get the following:

A Factory Tool_COMMON_V5.09.01
Radio Type Portable
Model Series DR7000_HRC6000_SKY72310
Bootloader (*. boot)
Firmware(*.bin) C:\Users\Jerry\Desktop\M17 Updates\M17 PLUS Firmware\M1
RCDB (*. r db, *. r dbx)
Font Library (*. pack)
Fixed Voice (*. fv)
Tuner File (*. tdb)
Upgrade

Notice the file location is now in the box adjacent to the Firmware (*bin)

7. Press the Upgrade button and in a few seconds, you get the following screen.

Factory Too	bl_COMMON_V5.09.01
Radio Typ	e Portable -
Model Ser	ies[DR7800S_HRC6000_SKY72310_11_H7 ~
Bootloader	- (*. boot)
-Firmware(* V	<pre>%.bin) C:\Users\Jerry\Desktop\M17 Updates\M17 PLUS Firmware\M1</pre>
-RCDB (*. rdł	o, *. r dbx)
Font Libra	ary (*. pack, *. mpack)
-Tuner File	e (*. tdb)
Language H	Package (*. lang)
Welcome In	nage(*.bmp)Maximum support 160 * 128 pixel size
Picture Re	esource (*. pic)
11:34:1UBe;	gan to upgrade firmware file Upgrade

In a few more seconds it will be finished, and you get the following screen.

Factory Tool_COMMON_V5.09.01	23
Radio Type Portable	-
Model Series DR7800S_HRC6000_SKY72310_11_H7	-
Bootloader (*. boot)]
Firmware (*. bin)	
RCDB (*. rdb, *. rdbx)	
Font Library (*. pack,)	····]
Fixed Voice (*. fv) Upgrade finish!	
Tuner File (*. tdb)	
Language Package (*. lang)	
Welcome Image(*.bmp)Maximum support 160 * 128 pixel size	
Picture Resource (*. pic)	
11:34:10Began to upgrade firmware file 11:34:34Firmware upgrade finish Upgr	ade

Press the OK button and your radio should now show the DMR screen.